JOURNAL OF HEALTH, MEDICAL RESEARCH AND INNOVATIONS

VOLUME: 01 ISSUE: 04 (2023)

P-ISSN : 3105-4749 E-ISSN: 3105-4757

https://www.jhmri.com

Research Article

BIG DATA ANALYTICS IN PUBLIC HEALTH: OPPORTUNITIES FOR DISEASE PREVENTION

[1]Dr. Sara Imran, [2]Dr. Bilal Ahmad, [3]Prof. Jonathan Reed, [4]Dr. Sofia Alvarez

[1]Department of Public Health, University of Health Sciences (UHS), Lahore, Pakistan.
Email: *sara.imran@uhs.example.pk*

[2]Institute of Health Policy and Management, Dow University of Health Sciences, Karachi, Pakistan.
Email: *bilal.ahmad@duhs.example.pk*

[3]Department of Global Health, London School of Hygiene & Tropical Medicine, United Kingdom.
Email: *jonathan.reed@lshtm.example.uk*

[4]Department of Epidemiology, Harvard T.H. Chan School of Public Health, Boston, USA.
Email: *sofia.alvarez@hsph.example.edu*

Abstract:

The convergence of high-volume data streams—electronic health records (EHRs), laboratory feeds, mobility traces, social media, environmental sensors, and pathogen genomics—has transformed public health from retrospective reporting to proactive, prevention-oriented intelligence. This paper surveys the foundations, infrastructure, and analytical methods that enable population-scale risk detection and the precise targeting of interventions. We highlight use cases across communicable and non-communicable disease prevention: outbreak early warning, vaccination micro-targeting, behavioral risk stratification, environmental exposure alerts, and policy evaluation. We discuss data governance, privacy-preserving computation, bias mitigation, and equity-centered implementation with a focus on low- and middle-income countries (LMICs). Finally, we propose a stepwise roadmap for building trustworthy, sustainable big-data public health programs.

Keywords: *big data analytics, public health surveillance, disease prevention, risk prediction, privacy-preserving computation, outbreak early warning, vaccination targeting, health equity*

Introduction

Public health has traditionally relied on delayed, aggregated statistics, which limits timely prevention. Digitization of care, rapid diagnostic platforms, affordable sequencing, and pervasive sensing now generate unprecedented data volumes and varieties—the classic “4Vs” (volume, velocity, variety, veracity). When governed responsibly and analyzed with robust statistical and machine-learning

methods, these data enable earlier detection of outbreaks, sharper identification of at-risk communities, and more efficient allocation of limited resources (vaccines, vector control, screening). Yet, realizing these gains requires trustworthy data pipelines, interoperable standards, privacy safeguards, and evaluation frameworks that link analytics to measurable prevention outcomes.

Foundations: Data Sources, Standards, and Quality:

Core Streams of Data:

The modern public health ecosystem depends on the integration of a wide variety of **core data streams**, each of which provides a distinct perspective on health trends and disease risk. **Electronic Health Records (EHRs)** and **insurance claims** are central, as they capture diagnoses, prescriptions, hospitalizations, and outpatient encounters across time. These records make it possible to identify risk factors for chronic diseases, monitor treatment adherence, and study healthcare utilization patterns. **Laboratory information systems** add another dimension, offering diagnostic test results, pathogen identification, and antimicrobial resistance profiles—critical for outbreak detection and antimicrobial stewardship.

Syndromic surveillance systems further complement these data by capturing near–real-time signals from emergency departments, health hotlines, and poison control centers. Unlike traditional reporting, which may lag by weeks, syndromic feeds allow rapid detection of unusual clusters of symptoms, signaling the possible emergence of outbreaks. Beyond clinical settings, **environmental and meteorological data** such as air pollution indices, rainfall, humidity, and water contamination levels help explain disease dynamics—especially for respiratory illnesses, vector-borne diseases, and climate-sensitive health risks. **Mobility and contact proxies**, increasingly derived from anonymized mobile phone data and transport networks, allow researchers to model how human movement contributes to the spread of infections. Finally, **genomic surveillance data**—whether from clinical sequencing or wastewater sampling—have become essential in monitoring viral evolution, identifying new variants, and tracking community-level transmission. These rich streams are further enhanced by **population health surveys** and even **social media data**, which provide valuable behavioral and sentiment insights, particularly during emergencies such as pandemics.

Interoperability and Standardization:

The utility of these diverse data sources is determined by their **interoperability**, i.e., the ability of heterogeneous systems to communicate and exchange data meaningfully. Without standardization, public health agencies are left with fragmented, incompatible datasets that undermine timely prevention. To solve this, the use of **HL7 and FHIR (Fast Healthcare Interoperability Resources)** frameworks enables seamless integration across electronic systems. **ICD-10 and SNOMED CT** provide universal classification systems for diseases and clinical concepts, while **LOINC** ensures laboratory results can be compared and aggregated consistently across institutions. In addition, **geospatial encoding** allows for precise localization of cases and exposures, enabling geographic information systems (GIS) to visualize clusters and hotspots for targeted interventions. These standards not only reduce ambiguity in analysis but also facilitate cross-border collaboration, ensuring that data from different regions can be combined for global health surveillance.

Data Quality and Trustworthiness:

Equally important is the **quality of data**, since flawed inputs can lead to misleading conclusions and ineffective interventions. Ensuring completeness involves verifying that essential data fields—such as age, diagnosis, or test results—are consistently captured across systems. Consistency checks identify conflicting information (for example, a patient coded as male with a record of pregnancy), while

deduplication processes eliminate multiple entries of the same patient encounter, preventing artificial inflation of case counts. In geospatial analyses, **accuracy thresholds** ensure that addresses or location data can be mapped to appropriate geographic units, whether neighborhoods or regions, with minimal error.

Another vital aspect is **drift monitoring**, where changes in data distributions are tracked over time. For instance, a sudden increase in influenza-like illness codes may reflect changes in clinical coding practices rather than a true outbreak. Without drift monitoring, predictive models may misinterpret such artifacts as genuine signals. To protect privacy and ensure ethical use, **data-use agreements (DUAs)** are established between healthcare providers, institutions, and public health authorities. These agreements outline the permitted uses of data, set security obligations, define retention and deletion policies, and uphold compliance with legal and ethical frameworks. DUAs not only safeguard individual rights but also build **institutional trust**, which is essential for sustaining data-sharing partnerships over the long term.

The Foundation for Prevention:

Taken together, these elements—diverse **data streams**, robust **interoperability standards**, and rigorous **data quality protocols**—form the backbone of big data analytics in public health. Without reliable foundations, advanced modeling techniques and artificial intelligence cannot deliver actionable insights. With them, however, public health agencies can generate early-warning signals, guide vaccination campaigns, predict chronic disease risks, and issue environmental health alerts that ultimately prevent disease and save lives.

Methods: From Statistical Learning to Causal Inference:

Descriptive and Nowcasting Approaches:

The first step in leveraging big data for disease prevention is **descriptive analytics**, which provides a baseline understanding of current health dynamics. These methods often include **time-series decomposition** to separate long-term trends, seasonal cycles, and irregular components in epidemiological data. For example, influenza-like illness (ILI) trends can be decomposed into recurring winter peaks and unexpected anomalies. **State-space models** and **Kalman filters** extend this approach by handling noisy or incomplete data streams in real time, allowing continuous updating of disease incidence estimates as new observations arrive. Similarly, **Bayesian hierarchical models** enable borrowing strength across regions or population groups, producing more stable estimates for areas with limited data. These descriptive and nowcasting tools are crucial for generating **situational awareness**, ensuring that public health agencies can detect early warning signals, allocate resources efficiently, and monitor intervention effects as they unfold.

Predictive Modeling and Risk Forecasting:

Beyond describing the present, **predictive modeling** seeks to anticipate future risks at both individual and population levels. For interpretable baselines, **regularized generalized linear models (GLMs)**—such as LASSO or ridge regression—help identify significant predictors while preventing overfitting in high-dimensional health data. More flexible methods such as **gradient-boosting machines (e.g., XGBoost, LightGBM)** achieve higher predictive accuracy by sequentially improving upon weak learners, making them powerful tools for hospital admission forecasting or vaccine uptake prediction. For highly complex datasets—such as medical imaging, wearable sensor outputs, or multi-omics—**deep learning architectures** (convolutional or recurrent neural networks) extract non-linear and hierarchical patterns beyond the reach of traditional models. In clinical contexts, **survival models** (e.g., Cox proportional hazards, random survival forests, deep survival networks) predict the timing of events

such as hospitalization, disease progression, or mortality, thereby supporting preventive interventions like early screening or targeted outreach. Predictive models thus serve as engines of proactive public health planning, enabling **timely allocation of limited resources**.

Causal Inference and Policy Evaluation:

While predictive models are useful, they cannot answer the critical question of **what works** in public health. For that, **causal inference methods** are essential. **Difference-in-differences (DiD)** approaches compare disease outcomes before and after an intervention between treated and untreated groups, helping estimate the effect of mask mandates or vaccination drives. **Synthetic control methods** construct weighted combinations of control regions to simulate counterfactual scenarios, allowing researchers to infer what disease trajectories would have looked like without an intervention. Similarly, **instrumental variable (IV) analysis** addresses unobserved confounding by exploiting external variation (e.g., vaccine supply fluctuations across regions) to isolate causal impacts. These techniques are vital for distinguishing correlation from causation, ensuring that public health policies are based on **evidence of effectiveness** rather than coincidental associations. In the context of prevention, such causal analyses can quantify reductions in infections, hospitalizations, or mortality attributable to specific programs, strengthening policy legitimacy and guiding future investments.

Fairness, Transparency, and Uncertainty:

A robust public health analytics framework must also account for **fairness, uncertainty, and transparency**. Predictive and causal models are prone to **biases** if underlying data disproportionately represent certain groups or if structural inequities influence health outcomes. Therefore, performance should be **audited across subgroups** (e.g., age, gender, socioeconomic status) to ensure equity. **Calibration methods** are critical to aligning predicted risks with observed outcomes—avoiding over- or under-estimation of disease risk for marginalized populations. Equally important is **quantifying uncertainty** using credible intervals, prediction intervals, or Bayesian posterior distributions, which communicate the reliability of model outputs and help decision-makers avoid overconfidence. Finally, the adoption of **transparent model cards and datasheets** documents the scope, assumptions, limitations, and ethical considerations of models. This not only builds trust among stakeholders but also enables reproducibility and accountability in public health decision-making.

Linking Methods to Prevention:

Together, these methodological pillars form a continuum from **real-time situational awareness (descriptive and nowcasting models)** to **anticipatory action (predictive modeling)** and **policy validation (causal inference)**. Ensuring fairness, transparency, and uncertainty estimation weaves accountability into the analytic process. By combining these methods, big data analytics transcends mere monitoring and becomes a rigorous science of **disease prevention and health equity**. For instance, Bayesian nowcasting might detect a spike in dengue-like symptoms, predictive models could estimate which districts are most vulnerable to spread, and causal inference would confirm the preventive impact of targeted mosquito-control programs. Such an integrated methodological approach ensures that prevention strategies are not only timely but also effective and just.

Governance, Privacy, and Security:

Legal and Ethical Guardrails:

The deployment of big data analytics in public health must be firmly grounded in **legal and ethical safeguards** that protect individuals and communities while enabling beneficial research and prevention. Central to this is the principle of **purpose limitation**, which ensures that health data are used only for

clearly defined and justified objectives, such as outbreak detection or vaccination planning, rather than for secondary, unauthorized purposes. Similarly, the **minimum necessary data principle** dictates that only the smallest amount of identifiable information required to achieve a public health objective should be collected or shared, thereby reducing exposure risk. **Community engagement** is another cornerstone, as it helps align data collection and use with societal values and expectations. For instance, involving local leaders and patient advocacy groups in the design of surveillance programs enhances transparency and trust. To ensure accountability, **independent oversight boards**—comprising public health experts, ethicists, and community representatives—can review data practices, assess proportionality of data use, and provide checks against misuse. Together, these guardrails ensure that big data practices are both legally compliant and ethically legitimate.

Privacy-Preserving Computation:

Given the sensitivity of health data, protecting privacy is paramount. Traditional **de-identification techniques**—such as removing direct identifiers (names, addresses) and applying statistical perturbations—remain essential, but they must be conducted under **expert determination** to reduce re-identification risks in high-dimensional datasets. Beyond these conventional methods, advanced techniques in **privacy-preserving computation** are becoming increasingly important. **Federated learning**, for example, allows machine learning models to be trained across multiple institutions without raw data leaving local servers, thereby minimizing data transfer risks. Similarly, **secure multi-party computation (SMPC)** enables collaborative analysis where multiple stakeholders can compute joint results without revealing their individual datasets. **Differential privacy**, which injects carefully calibrated noise into outputs, further ensures that published statistics cannot be traced back to individual patients. These approaches balance the dual imperative of enabling data-driven insights while protecting individual confidentiality, making them essential in building sustainable public health data infrastructures.

Security Safeguards:

Even with strong legal and privacy measures, robust **technical security** is non-negotiable. Modern public health data systems must implement **role-based access controls**, ensuring that users only have access to the data necessary for their responsibilities, thereby limiting insider threats. **Encryption in transit and at rest** protects data against unauthorized interception or theft, whether during transmission across networks or while stored on servers. **Logging and monitoring systems** are equally crucial, as they allow real-time tracking of who accessed data, when, and for what purpose—providing an audit trail in case of breaches or irregularities. Additionally, well-defined **incident response protocols** ensure that in the event of a security compromise, threats are rapidly contained, affected parties are notified, and systemic vulnerabilities are addressed. Collectively, these measures ensure resilience against both cyberattacks and accidental data leaks, safeguarding the integrity of health data systems.

Trust Building and Transparency:

Perhaps the most important—and often overlooked—dimension of governance is the active cultivation of **trust** among stakeholders, including the general public, healthcare providers, and policymakers. Transparency plays a pivotal role here: publishing **documentation of data sources, methodologies, and intended uses** reassures the public that their information is being handled responsibly. Similarly, releasing **validation reports and performance evaluations** helps demonstrate the accuracy, fairness, and usefulness of analytic models. To sustain trust over time, public health agencies must also commit to **post-deployment monitoring**, systematically tracking whether data use generates unintended harms or inequities. For example, if predictive models systematically underrepresent marginalized groups, corrective action must be taken promptly. Transparent communication about both successes and

limitations fosters public confidence and ensures that data-driven interventions are not only technically effective but also socially accepted.

Governance as the Backbone of Prevention:

In sum, governance, privacy, and security are not peripheral concerns but the **backbone of ethical and sustainable big data analytics**. Without strong guardrails, public resistance, legal challenges, or data breaches could undermine even the most advanced analytic systems. With them, however, big data can become a trusted ally in disease prevention, helping societies strike a delicate balance between **innovation and protection, utility and rights, efficiency and fairness**.

Applications for Disease Prevention:

Outbreak Early Warning:

One of the most transformative applications of big data in public health is the creation of **outbreak early warning systems**. By fusing data from **laboratory positivity rates, syndromic surveillance feeds, and wastewater genomics**, public health agencies can identify disease growth inflections **days or even weeks earlier** than with traditional reporting methods. For example, during the COVID-19 pandemic, wastewater surveillance enabled the detection of SARS-CoV-2 variants before they appeared in clinical testing datasets, offering a crucial head start for interventions. When these signals are combined with **real-time mobility data** and **social media symptom mentions**, they provide a more complete picture of emerging threats. Such systems can trigger **surge testing, localized lockdowns, and targeted non-pharmaceutical interventions (NPIs)**, limiting spread before it becomes widespread. Importantly, these tools are not limited to pandemics—they are increasingly applied to seasonal influenza, norovirus, and vector-borne diseases like dengue or chikungunya.

Vaccination Micro-Targeting:

Another critical domain is **vaccination micro-targeting**, where big data analytics enhances immunization coverage by identifying gaps and optimizing distribution. By integrating **geospatial layers**—such as population density, socioeconomic data, mobility flows, and comorbidity profiles—public health programs can pinpoint under-immunized clusters and predict where outbreaks are most likely to occur. This enables more efficient deployment of vaccination teams and ensures that **cold-chain logistics** (refrigeration and transport of vaccines) are optimized for maximum reach. For instance, machine learning models have been used to prioritize door-to-door polio vaccination campaigns in areas with high dropout rates, significantly improving coverage. In the future, such precision targeting could support **booster campaigns** for emerging infectious diseases and streamline responses to vaccine hesitancy through localized awareness interventions.

Non-Communicable Disease (NCD) Prevention:

While much attention is given to infectious diseases, big data analytics also plays a crucial role in preventing **non-communicable diseases (NCDs)**, which account for a large share of global mortality. **EHR trajectories**—capturing longitudinal changes in blood pressure, glucose levels, BMI, and lifestyle factors—can be analyzed using predictive models to identify individuals at high risk of developing hypertension, diabetes, or cardiovascular diseases. These insights allow health systems to nudge high-risk individuals toward **preventive screening, lifestyle modification programs, and early treatment initiation**. For example, predictive analytics applied to primary care datasets can forecast diabetes progression up to five years before onset, enabling proactive dietary and exercise interventions. Beyond individuals, population-level risk stratification can guide **resource allocation**, ensuring that limited healthcare resources are directed toward communities with the greatest preventive needs.

Environmental Health Applications:

Environmental exposures are major determinants of disease, and big data enables more precise **environmental health surveillance**. By linking **satellite-derived measures of air pollutants ($PM_{2.5}$, NO_2, ozone)** with clinical data on asthma, COPD, and cardiovascular events, health authorities can issue **localized health alerts** when pollution levels exceed safe thresholds. Similarly, real-time **heatwave monitoring systems**, combined with hospital admission data, allow early identification of vulnerable populations—such as the elderly or outdoor workers—and support pre-positioning of **cooling centers, inhalers, and hydration stations**. These predictive alerts transform environmental data into actionable public health responses, reducing morbidity and mortality during climate-related events. Importantly, such applications are particularly critical in **low- and middle-income countries (LMICs)**, where populations are disproportionately exposed to environmental hazards and where preventive interventions can yield the greatest benefits.

Behavioral and Digital Health Interventions:

Big data also enables the personalization of **behavioral and digital interventions**, moving prevention closer to individuals' daily lives. For instance, predictive analytics can flag individuals at risk of missed medical appointments, prompting **automated SMS reminders, telehealth outreach, or mobile health nudges** tailored to their risk profile. Similarly, behavioral interventions—such as reminders for physical activity, medication adherence, or vaccination appointments—can be personalized using risk scores derived from EHRs, wearable devices, and social determinants of health. Evidence shows that even simple digital nudges can significantly improve adherence to preventive behaviors, especially when culturally and linguistically tailored. More advanced approaches combine **AI-driven chatbots and telemedicine platforms** to offer real-time guidance, ensuring that preventive healthcare is accessible and scalable. In this way, big data bridges the gap between **population-level predictions and individual-level action**, making disease prevention more responsive and equitable.

Applications as the Engine of Prevention:

Together, these applications—early outbreak detection, vaccination micro-targeting, NCD prevention, environmental monitoring, and digital health nudges—illustrate the breadth of big data's role in **proactive, precision-oriented public health**. Instead of reacting to crises, data-driven systems enable health authorities to anticipate threats, tailor interventions, and mitigate risks before they escalate. In doing so, they shift the paradigm of public health from **curative to preventive**, delivering both efficiency and equity gains on a global scale.

Implementation Roadmap (with LMIC Focus):

Phase 1 (0–6 Months): Laying the Foundations:

The first phase of implementation focuses on **mapping existing data assets** across ministries, hospitals, laboratories, and community health programs. Many low- and middle-income countries (LMICs) have fragmented data systems with siloed repositories, making it critical to identify overlaps, gaps, and potential points of integration. Once identified, countries should **standardize a minimal dataset**—a core set of health, demographic, and environmental variables that can be reliably collected and harmonized across sources. In parallel, the establishment of **governance frameworks**—including data-use agreements, ethics approvals, and privacy policies—ensures that data use is both lawful and trusted by stakeholders. A secure **analytics workspace**, equipped with data dashboards, is then developed to allow authorized personnel to visualize trends, generate early-warning signals, and support decision-making. Even at this initial stage, the emphasis should be on **building simple, practical tools** that demonstrate immediate value, which helps build momentum and trust among policymakers.

Phase 2 (6–18 Months): Piloting Priority Use Cases:

With foundational systems in place, the second phase emphasizes **launching targeted use cases** that deliver measurable public health impact. For example, **vaccine targeting applications** can identify underserved communities, while **heat alert systems** can provide early warnings to protect vulnerable populations during climate extremes. Each pilot should be evaluated using **pragmatic metrics**, such as **time-to-signal detection, number of cases avoided, hospitalizations prevented, or cost savings achieved**. These metrics demonstrate tangible value to decision-makers and funders, which is especially important in LMIC settings where resources are constrained. Additionally, iterative feedback loops should be built into this phase, allowing technical teams to refine models based on field realities—such as incomplete data reporting or connectivity challenges in rural areas. By the end of Phase 2, governments and partners should have **proof-of-concept projects** that validate the potential of big data analytics in disease prevention.

Phase 3 (18–36 Months): Scaling and Integration:


The third phase focuses on **scaling successful use cases and integrating advanced data streams** into national systems. This includes the adoption of **federated learning frameworks**, which allow regional or provincial data centers to collaborate on model development without sharing raw data—an especially valuable approach where cross-border or inter-institutional data sharing is legally sensitive. Integration of **pathogen genomics and wastewater surveillance** into national monitoring systems enables earlier detection of emerging infectious diseases and antimicrobial resistance threats. Furthermore, **formal economic evaluations**—including cost-benefit analyses and return-on-investment studies—should be conducted to justify ongoing funding and institutionalization. By demonstrating that data-driven prevention yields substantial public health and economic benefits, governments can secure long-term budgetary and political support for scaling efforts nationwide.

Sustainability and Institutionalization:

For big data initiatives to endure beyond donor-driven projects, **sustainability mechanisms** must be built into the roadmap. This includes allocating recurring budgets for **data engineers, epidemiologists, and public health informaticians**, ensuring that human resources match the technical complexity of the systems. **Continuous training programs**—covering data science, analytics, and ethics—help build local expertise and reduce reliance on external consultants. Equally important is the **institutionalization of community feedback**, which ensures that citizens understand how their data are being used and benefit directly from public health interventions. Mechanisms such as community advisory boards, public dashboards, and citizen-reporting tools foster accountability and public trust. In LMIC contexts, sustainability also depends on forging **multi-sector partnerships**, linking ministries of health with telecom operators, universities, NGOs, and international agencies. Only by embedding these systems within the fabric of national health infrastructure can big data analytics become a **durable driver of disease prevention and health equity**.

Implementation as a Pathway to Equity:

This roadmap reflects a **stepwise, pragmatic approach** tailored to LMIC realities: start small, prove value, scale smartly, and sustain through institutional and community engagement. By moving deliberately through these phases, countries can avoid the pitfalls of technology-driven "pilot traps" and instead build resilient, context-appropriate systems that harness big data for **sustainable disease prevention and public health improvement**.



Summary:

Big data enables a shift from reactive response to proactive prevention. Success depends less on exotic algorithms than on **sound data engineering, responsible governance, transparent evaluation, and equitable implementation**. Systems that combine standardized data pipelines, robust causal and predictive methods, and community-engaged governance can deliver earlier warnings, smarter targeting of interventions, and measurable reductions in disease burden—particularly when designed for sustainability and fairness.

References:

World Health Organization. Global Strategy on Digital Health 2020–2025.

Centers for Disease Control and Prevention. Data Modernization Initiative (DMI).

European Commission. European Health Data Space (EHDS) Proposal.

National Academies of Sciences, Engineering, and Medicine. Public Health Data: A Lifeline for Health Security.

Johns Hopkins University. Coronavirus Resource Center Dashboard.

Institute for Health Metrics and Evaluation. Global Burden of Disease (GBD) Studies.

U.S. FDA. Framework for FDA's Real-World Evidence Program.

Public Health England (UKHSA). Syndromic Surveillance Systems: Overview and Methods.

GISAID Initiative. Global Genomic Surveillance of Influenza and SARS-CoV-2.

OECD. Health Data Governance: Privacy, Monitoring and Research.

The Lancet Digital Health (journal). Editorials and Reviews on Digital Epidemiology and AI in Health.

Nature Medicine (journal). Perspective: Digital Epidemiology and Pandemic Response.

PLOS Computational Biology (journal). Special Collection: Predictive Modeling in Public Health.

eLife (journal). Reproducibility in Epidemiological Modeling.

JMIR Public Health and Surveillance (journal). Mobile and Web Data for Disease Monitoring.

World Bank. Data Governance in the Modern Health Sector.

ECDC. Surveillance Systems Overview and Case Definitions in the EU.

NIH All of Us Research Program. Data Browser and Methods.

UK Biobank. Resource for Health Data Research.

UNICEF & WMO. Heat and Health Early Warning Systems: Guidance for Action.